

INDEX MAPS.

T. 5N R. 2W 2nd Mer.

	204-206	204-206	204-206	204-206	205	205						
208	6	227	5	223	4	219	3	216	2	212	1	203
	228	227		223		219		215		211		
208	7	227	8	223	9	219	10	215	11	211	12	203
	228	226		222		218		215		211		
208	18	226	17	222	16	218	15	214	14	211	13	203
	229	226		221		218		214		210		
207	19	225	20	221	21	217	22	214	23	210	24	202
	228	225		221		217		213		209		
207	30	224	29	220	28	217	27	213	26	209	25	202
	224	224		220		216		212		209		
207	31	223	32	220	33	216	34	212	35	209	36	202
	200	199-200	199-200	199-200	199-201	199-201	199-201	199-201	199-201	199-201	199-201	

T. 6N R. 2W 2nd Mer.

	237	237	236	236	236	235						
240	6	259	5	255	4	251	3	247	2	243	1	235
	259		258		255		251		247		243	
239	7	258	8	254	9	250	10	247	11	243	12	235
	259		258		254		250		246		242	
239	18	257	17	254	16	250	15	246	14	242	13	234
	260		257		253		249		245		241	
238	19	256	20	253	21	249	22	245	23	241	24	234
	260		256		252		249		246		241	
238	30	256	29	252	28	248	27	245	26	241	25	234
	260		256		252		248		244		240	
238	31	255	32	251	33	248	34	244	35	240	36	233
	231-233		231-233		231-233		231-232		231-232		232	

The figures on the lines refer to the page.

Township No. 5 North Range No. 2 West 2nd Mer.
Ch. Sec.

South Boundary Var. 6.20'

West On a Kaudem Mine on the South Boundary of sec. 36
T. N. 5 N. R. No 2 W. 2nd Mer.

2000 To the Bank of White River cor to sec. 36. T. N.
S. R. S. 27.

4,000 Set a temp. of frost for the cor. 2' 1/4 sec. /

80.00 Let a transport for the car. to Sect. 35. & 36. I.
No 5 N.W. No 2 N. Sand, rock and rolling
Timber Truck, Sugar, & —

West Ortho. South Boundary of sec. 35. T. N. 5 N. R.
N. 2 W.

4000 Set, a times just for the cor. to $\frac{1}{4}$ sec.

80.00 Got a a a a a to see? 34 & 35 T.
No. 5 N.H. No. 2 W. Sande Lobs and timber from
as in the last mile;

West On a Random line on the South Boundary of sec.
34, T. N. 5 N. R. N. 2 W.

4000 Set a trumpet post for the cor. to $\frac{1}{4}$ sec.

65.00 To, Brook 20 miles (ind); Course South.

80.00 Set a temporary post for the cor. to lat. 33. & 34. T. N.
5 N. R. N. 2 W. Same as timber same as
in the last mile.

West On a Random line on the South Boundary of sec. 33.
T. 20. S. R. 5. W. N. 27.

40.00 Let a temporary post for the con. to 1/4 sec.

80.00 Set a n n n n g n Set 32, 1865.
T N^o 5 NR. N^o 2 W. Sand Soil and timber
Same as in the last mile.

Walt On a Random line on the South Bond of page 32
I. N. 5 N. R. N. 27.

40.00 Set a stamp, first for the car. to $\frac{1}{4}$ sec.

8070 k k k k k k k Rev. 31.132

T. N^o 5 N. R. N^o 2 W. 2nd Mer. Sec. 31

T. N^o 5 N. R. N^o 2 W. Soil thin & very
lumpy; Timber Oak, Hickory

West On a Random line on the South Boundary of sec. 31.
T. N^o 5 N. R. N^o 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

75.72 Intersect a the N. & S line South of the first set
for the cor. to T. 4. 4. & 5. 5. N. R. 2 & 3 W.
Sand rolling & Timber Buck. & Sugar.

East In the true line on the South Boundary of sec. 31. T.
N. R. N^o 2 W. Var. 6° 20'

35.72 Set the temporary post on the true line for the
cor. to $\frac{1}{4}$ sec. from which are

Elm 10 in. dia. bears S 42 E. 34 links dist; 10

Buck 10 " " " S 80 W. 16 " "

75.72 Set the temporary post on the true line for the cor. to
Sec. 31 & 32. T. N^o 5 N. R. N^o 2 W. from which are

Buck 6 in. dia. bears N 71 W. 18 links dist; 10

W. Oak 12 " " " S 80 W. 16 " "

East On the true line on the South Boundary of sec. 32.
T. N^o 5 N. R. N^o 2 W.

40.00 Set the temporary post on the true line for the cor.
to $\frac{1}{4}$ sec. from which are

Sugar 12 in. dia. bears S 60 E. 14 links dist; 10

Maple 12 " " " S 10 E. 23 " "

80.00 Set the temporary post on the true line for the cor. to

Sec. 32 & 33. T. N^o 5 N. R. N^o 2 W. from which

a Sugar 12 in. dia. bears N 35 E. 29 links dist; 10

Do 12 " " " S 35 W. 16 " "

East On the true line on the South Boundary of sec. 33.
T. N^o 5 N. R. N^o 2 W.

40.00 Set the temporary post on the true line; & set Buck
12 in. dia. stands for the cor. to $\frac{1}{4}$ sec.

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. a.)

80.00 Set the temporary post on the true line for the cor. to Sec. 33 & 34. T. N. 5 N. R. N. 2 W. from which a Buck 12 in. dia. bears S 44 E. 17 links dist; to Poplar S n n n S 70 W. 9 n n

East On the true line on the South Boundary of Sec. 34. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line for cor. to $\frac{1}{4}$ sec. from which a Buck 8 in. dia. bears S 66 E. 12 links dist; to Do Do n n n N 17 E. 9 n n

80.00 Set the temporary post on the true line for the cor. to Sec. 34 & 35. T. N. 5 N. R. N. 2 W. from which a Buck 8 in. dia. bears S 33 W. 5 links dist; to Do 8 n n N 24 E. 22 n n

East On the true line on the South Boundary of Sec. 35. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post ~~on~~ the true line for the cor. to $\frac{1}{4}$ sec. from which a Buck 8 in. dia. bears N 54 E. 14 links dist; to Do 10 n n n S 60 E. 14 n n

80.00 Set the post (temporary) on the true line for the cor. to Sec. 35 & 36. T. N. 5 N. R. N. 2 W. from which a Buck 18 in. dia. bears N 5 W. 12 links dist; to Do 10 n n n S 18 E. 20 n n

East On the true line on the South Boundary of Sec. 36. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post on the true line for the cor. to $\frac{1}{4}$ sec. from which a Sugar 10 in. dia. bears N 88 E. 35 links dist; to Do 12 n n n N 56 W. 17 n n

80.00 To the cor. of Towns 4. 4. & 5. 5. N. W. 1/4 & 2 W. 2nd Mer. Indiana.

T. N. 5 N. R. N. 27. 2nd Mer. (Ind. a.)

East Boundary

- North On the East Boundary of sec. 36, T. N. 5 N. R. N. 27.
- 10.50 To a Poplar 30 in. dia. base in the river.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 12 in. dia. base S39 W. 24 links dist; to
Logwood Ca a a N41 W. 12 a a
- 80.00 Set a post for the cor. to sec. 25, 136, T. N. 5
N. R. N. 27. from which a
Beck 12 in. dia. base S2 E. 24 links dist; to
Sugar 18 a a N72 W. 21 a a
Sandy soil and rolling; timber Beck,
Sugar, Ash, and Poplar. M. G. Spin.

- North On the East Boundary of sec. 25, T. N. 5 N. R. N. 27.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 20 in. dia. base S34 E. 29 links dist; to
Do 7 a a N54 W. 29 a a
- 54.50 To a Spring Run 4 links wide; corner E.
- 56.75 To a Brook 12 links wide; corner E.
- 80.00 Set a post for the cor. to sec. 24 & 25, T. N. 5 N.
R. N. 27. from which a
Beck 12 in. dia. base S44 E. 26 links dist; to
Dg. 10 a a S47 W. 17 a a
Sandy soil and timber same as on the last mile

- North On the East Boundary of sec. 24, T. N. 5 N. R. N. 27.
- 22.75 To a R. Oak 30 in. dia. stands in the river.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 10 in. dia. base S46 E. 37 links dist; to
Beck 12 a a N56 W. 14 a a
- 46.75 To a Hick 15 in. dia. stands in the river.
- 80.00 Set a post for the cor. to sec. 13 & 24, T. N. 5 N.
R. N. 27. from which a

T. N. 5 N. R. No. 2 W. 2nd Mer. (Ind. a.)

W. Oak 10 in. dia. bears S 6 E. 33 links dist; to
 Ho 12 n n n S 54 E. 15 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of Sec. 13. T. N. 5 N. R.
 No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Logwood 6 in. dia. bears S 17 W. 23 links dist; to
 Buck 8 n n n N 16 E. 8 n n

80.00 Set a post for the cor. to Sec. 12. & 13. T. N. 5 N.
 R. No. 2 W. from which a
 Hickory 8 in. dia. bears S 6 W. 22 links dist; to
 Logwood 7 n n East 4 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of Sec. 12. T. N. 5 N.
 R. No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. bears S 16 W. 14 links dist; to
 Logwood 6 n n n N 85 W. 11 n n

61.60 To a B. Oak 20 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sec. 1. & 12. T. N. 5 N.
 R. No. 2 W. from which a
 W. Oak 8 in. dia. bears S 27 W. 29 links dist; to
 Logwood 6 n n n N 39 W. 20 n n
 Sand soil and timber same as on the last mile.

North On the East Boundary of Sec. 1. T. N. 5 N. R.
 No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Elm 6 in. dia. bears S 71 W. 10 links dist; to
 W. Oak 15 n n n N 40 W. 13 n n

68.95 To a Poplar 20 in. dia. stands in the line.

80.00 Set a post for the cor. to Towns 5. 5. & 6. 6. N.
 R. No. 1 & 2 W. from which a
 Hickory 10 in. dia. bears S 74 E. 11 links dist; to

T. N. 5 N. R. N. 27. 2nd Mer. Ind. 2)

- West On the true line on the South Boundary of Sec. 34. T. N. 5 N. R. N. 27.
- 40.00 Set a post (temp.) on the true line for the cor. to $\frac{1}{4}$ Sec. from which a
 Poplar 24 in. dia. bears N 3 E. 18 miles dist;
- 80.00 Set the temporary post at the true line for the cor. to Sec. 33 & 34. T. N. 6 N. R. N. 27. from which a
 Buck 9 in. dia. bears S 80 E. 37 miles dist; to
 Do 20 " " " N 37 E. 15 " " "

- West On the true line on the South Boundary of Sec. 33. T. N. 6 N. R. N. 27.
- 40.00 Set the temporary post on the true line for the cor. to $\frac{1}{4}$ Sec. in a brush thicket; no timber nigh.
- 80.00 In an Ironwood on the true line 5 in. dia. which stands for the cor. to Sec. 32, 33. T. N. 6 N. R. N. 27.

- West On the true line on the South Boundary of Sec. 32. T. N. 6 N. R. N. 27.
- 40.00 Set the temporary post on the true line for the cor. to $\frac{1}{4}$ Sec. from which a
 Buck 10 in. dia. bears S 85 E. 16 miles dist; to
 Do 10 " " " N 26 W. 15 " " "
- 80.00 Set the temporary post on the true line for the cor. to Sec. 31 & 32. T. N. 6 N. R. N. 27. from which a
 Sugar 10 in. dia. bears N 44 E. 9 miles dist; to
 Do 8 " " " N 72 W. 14 " " "

- West On the true line on the South Boundary of Sec. 31. T. 6 N. R. N. 27. 2nd Mer.
- 14.26 To the Brook; this line corrects no further
 West (cetera Desunt.)

207

T. N. 5 N. R. N. 27 2nd Mer. (Ind. 2)

West Boundary. Var. 6. 45'

North On the East Boundary of sec. 36 T. N. 5 N. R. N. 37.
 12.00 Top Buck 12 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 20 in. dia. bears S 51 W 18 links dist; 10
 Do 10 " " " N 62 W 12 " "
 65.00 Top Buck 100 links side; corner S.
 80.00 Set a post for the cor. to sec. 25 & 36 T. N. 5 N.
 R. N. 37. from which a
 Buck 6 in. dia. bears S 21 W. 6 links dist; 10
 Sugar 10 " " " N 78 E. 19 " "
 Sand & Kelly; Timber Buck, Sugar & Poplar.

North On the East Boundary of sec. 25 T. N. 5 N. R. N. 37.
 21.00 Top Buck 20 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears S 21 W. 8 links dist; 10
 Do 10 " " " N 79 E. 16 " "
 80.00 Set a post for the cor. to sec. 24 & 25, T. N. 5 N.
 R. N. 37 from which a
 Buck 10 in. dia. bears S 50 E. 9 links dist; 00
 Do 12 " " " N 50 W. 21 " "
 Sand & Soil and timber same as on the line.

North On the East Boundary of sec. 24 T. N. 5 N. R. N.
 37. 2nd Mer. (Ind. 2)
 12.00 Top Buck 10 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 12 in. dia. bears S 88 W. 15 links dist; 10
 Buck 10 " " " S 20 W. 33 " "
 72.50 Top Buck 18 in. dia. Stands in the line.
 80.00 Set a post for the cor. to sec. 13 & 24 T. N. 5 N.
 R. N. 27. from which a
 Buck 12 in. dia. bears South 6 links dist; 10
 Walnut 10 " " " N 68 E. 16 " "
 Sand & Soil and timber same as on the last line.

T. No 5 N.R. No 2 W. 2nd Mer. (Ind. 1st)

North On the East Boundary of Sec 13. T. No 5 N.R. No 2 W. 2nd Mer. (Ind. 1st)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 12 in. dia. bears S 12 E. 20 links dist; to
Poplar 18 " " " S 81 W. 14 " "
51.00 To a B. Oak 12 in. dia. stands in the line.
80.00 Set a post for the cor. to Sec. 12 & 13. T. No 5 N.
R. No 2 W. from which a
Poplar 12 in. dia. bears S 14 E. 37 links dist; to
Sugar 10 " " " N 16 E. 18 " "
Sands thin under Kelly; Timber Oak & Hickory

North On the East Boundary of Sec. 12. T. No 5 N.R. No 3 W. 2nd Mer.

- 40.00 Set a post for the cor. to 1/4 sec. from which an
Ironwood 4 in. dia. bears S 57 W. 10 links dist; to
Do 4 " " " S 81 E. 10 " "
41.50 To a Brook 25 links wide; Course E.
80.00 Set a post for the cor. to Sec. 1 & 12 T. No 5 N.R. No 3 W. 2nd Mer. from which a
W. Oak 12 in. dia. bears S 48 W. 7 links dist; to
Do 10 " " " N 43 E. 21 " "
Sands thin under timber same as on the last mer.

North On the East Boundary of Sec. 1. T. No 5 N.R. No 3 W. 2nd Mer.

- 44.00 To a W. Oak 10 in. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 20 in. dia. bears S 22 E. 28 links dist; to
Birch 12 " " " S 81 W. 28 " "
80.00 Set a post for the cor. to Towns 5.5, & 6.6. N.R.
No 3 W. from which a
Sugar 12 in. dia. bears S 26 W. 35 links dist
Syrup 10 " " " N 88 E. 35 " "
Sands thin under timber same as on the last mer.

T. N^o 5 N.R. N^o 27th 2nd Mer. (Ind.^a)

Subdivisions

North Between Sect. 35, 36. T. N^o 5 N.R. N^o 27th
 40.00 To a Buck 24 in. dia. stand for the cor. to 1/4 sec.
 80.00 Set a post for the cor. to Sect. 25, 26, 35, 36. From
 which a Log wood 8 in. dia. bears N 9 W 3 miles dist.
 and a Sugar 10 " " " S 22 W 33 " "
 Lands rich and rolling; timber Sugar, Poplar, Ash

East On a Kaudum line between Sect. 25, 36. T. N^o 5 N.R. N^o 27th
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.20 Intersected the N. & S. line 12 miles south of the post
 Set for the cor. to Sect. 25, 36. T. N^o 5 N.R. N^o 27th

West On the true line between Sect. 25, 36. T. N^o 5 N.R. N^o 27th
 40.10 Set the temporary post at the corner west on the true
 line for the cor. to 1/4 sec. From which a
 Log wood 6 in. dia. bears N 89 E. 10 miles dist.
 a Buck 10 " " " N 70 W. 21 " "
 80.20 To the first post for the cor. to Sect. 25, 26, 35, 36

North Between Sect. 25, 26. T. N^o 5 N.R. N^o 27th
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears North 28 miles dist. to
 Sugar 12 " " " South 13 " "
 56.00 To a Poplar, 24 in. dia. bears in the line.
 80.00 Set a post for the cor. to Sect. 23, 24, 25, 26. T. N^o
 5 N.R. N^o 27th from which a
 Buck 24 in. dia. bears N 43 W. 22 miles dist. to
 Log 10 " " " S 34 E. 23 " "
 Lands Soil and timber same as in the last section

East On a Kaudum line between Sect. 24 & 25. T. N^o
 5 N.R. N^o 27th
 25.00 To a Buck 10 miles wide bears S.
 40.00 Set a temporary post for the cor. to 1/4 sec.

T. N^o 5 N.R. N^o 2 W. 2nd Mer. (Ind.?)

80.10 Intersect the N. & S. line 10 links south of the first
set for the cor. to Sec. 24 & 25 T. N^o 5 N.R. N^o
2 W. Sands soil and timber same as on the last mile.

West On the true line between Sec. 24 & 25, T. N^o 5 N.
R. N^o 2 W.

40.05 Set the temporary post at the aver dist in the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 10 in. dia. bore N 79 E 8 links dist; to
Well 12 " " " N 78 W 23 " "

80.10 To the first set for the cor. to Sec. 23, 24, 25, 26

North Intersect Sec. 23 & 24 T. N^o 5 N.R. N^o 2 W

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Pine 12 in. dia. bore N 37 E 14 links dist; to
Lg. 10 " " " S 8 W 11 " "

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 from
which a Sugar 10 in. dia. bore S 71 E 7 links dist;
and a Pine 10 " " " S 26 W 7 " "
Sands the same as on the last mile.

East On a Random line between Sec. 13 & 24 T. N^o 5
N.R. N^o 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.30 Intersect the N. & S. line 12 links south of the
first set for the cor. to Sec. 13 & 24. Sands soil &
timber same as on the last mile.

West On the true line between Sec. 13 & 24 T. N^o 5 N.
R. N^o 2 W

40.15 Set the temporary post at the aver dist in the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Log made 5 in. dia. bore S 84 W 30 links dist; to
Lg. 8 " " " N 50 E 7 " "

80.30 To the first set for the cor. to Sec. 13, 14, 23, 24

T. N. 5 N. R. N. 27. 2nd Mer. (S. A.)

North Between Sec. 13. & 14. T. N. 5 N. R. N. 27.

8.60 To a Poplar 40 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dog woods 8 in. dia. bears N 57 $^{\circ}$ 14' E. 14 miles dist; to
Oak 12 n n n S 8 E. 9 n n80.00 Set a post for the cor. to sec. 11, 12, 13, & 14. from which
a Oak 10 in. dia. bears S 2 E. 30 miles dist; to
Dog woods 6 n n n N 26 E. 22 n n
Clude Soil and timber same as in the last mile.East On a Random line between Sec. 12 & 13. T. N. 5
N. R. N. 27.40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.80.43 Enter section the N 18 line 20 miles North of the post
Set for the cor. to sec. 12, & 13. T. N. 5 N. R. N. 28
Clude Soil and timber same as on the last mile.West On the true line between Sec. 12 & 13. T. N. 5 N. R.
N. 27. 2nd Mer. S. A.40.21 $\frac{1}{2}$ Set the temporary post at the avor. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 20 in. dia. bears S 84 E. 38 miles dist; to
B. Oak 6 n n n N 74 $^{\circ}$ 17' n n

80.43 Set the first post for the cor. to sec. 11, 12, 13, & 14

North Between Sec. 11 & 12 T. N. 5 N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Dog woods 6 in. dia. bears N 14 E. 27 miles dist; to
B. Oak 12 n n n S 12 $^{\circ}$ 19' n n

59.75 To a Sugar 18 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 1, 2, 11 & 12 from which
Dog woods 8 in. dia. bears S 50 E. 7 miles dist; to
Do 6 n n n N 50 $^{\circ}$ 17.3 n n
Clude Hilley, Timber Oak, & Walnut

East On a Random line between Sec. 1 & 12. T. N. 5 N. R. N. 27.

T. N. 5 N.R. N. 2 W. 2nd Mer. Ind. a)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.17 Enter section the N.B. line 17 miles North of the first
 set for the cor. to Sec. 1 & 12. Same place as on the
 last mile brushy.

- West On the true line between Sec. 1 & 12 T. N. 5 N.R. N. 2 W.
 40.08 $\frac{1}{2}$ Set the temporary post at the corner. Mark on the true line for
 the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. head West 24 miles dist; to
 Maple 10 n n n S 87 W 25 n n
 80.17 To the post set for the cor. to Sec. 1, 2, 11 & 12.

- North Return Sec. 1 & 2. T. N. 5 N.R. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Logwood 6 in. dia. head N 3 E. 25 miles dist; to
 Oak 10 n n n S 33 W. 20 n n
 81.50 Enter section the North Branch of T. N. 5 N.R.
 N. 2 W. at the post set for the cor. to Sec. 35 & 36
 T. N. 6 N. W. N. 2 W. See bearings for the
 cor. on the North Branch line.
 Same dirt and timber same as on the last mile

- North Return Sec. 34 & 35. T. N. 5 N.R. N. 2 W.
 34.75 To a Buck 12 in. dia. stand on the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Sugar 10 in. dia. head S 21 W. 20 miles dist; to
 No 18 n n n N 32 E. 23 n n
 81.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from
 which a Logwood 6 in. dia. head S 89 E. 10 miles
 dist; to Buck 10 n n n S 45 W 7 n n
 Same dirt and rolling; Timber Poplar, Ash,
 Buck & Sugar; N.B. Same as on the last mile.

- East On a Random line between Sec. 26 & 35 T. N. 5 N.
 R. N. 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. N. 5 N. R. N. 27. 2nd Mn. (Ind.)

79.58 Enter section the N. & S. line 12 miles North of the first set for the cor. to Sec. 25, 26, 35, & 36. Same as the same as on the last mile.

West On the true line between Sec. 26 & 35, T. N. 5 N. R. N. 27.

39.79 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears N 46 W. 18 miles dist; to
do 10 in. " " S 39 E. 4 " "

79.58 To the first set for the cor. to Sec. 26, 27, 34 & 35

North Between Sec. 26 & 27, T. N. 5 N. R. N. 27

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 12 in. dia. bears S 21 W 6 miles dist; to
Buck 10 in. " " N 43 E 8 " "

62.40 To a Sugar 12 in. dia. stands in the line

80.00 Set a post for the cor. to Sec. 22, 23, 26, 27 from
which a Buck 12 in. dia. bears S 68 E 30 miles dist
mugw do 18 in. " " N 3 E. 24 in. "
Crude Soil and timber same as on the last mile.

East On a Random line between Sec. 23 & 26, T. N. 5 N. R. N. 27.

40.01 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.82 Enter section the N. & S. line 12 miles North of the first set for the cor. to Sec. 23, 24, 25, & 26. Same Soil and timber same as on the last mile.

West On the true line between Sec. 23 & 26, T. N. 5 N. R. N. 27

39.91 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Buck 10 in. dia. bears S 38 W. 11 miles dist; to
Sugar 8 in. " " S 78 W. 34 in. "

79.82 To the first set for the cor. to Sec. 22, 23, 26, & 27

T. N. 5 N. W. No. 2 W. 2nd Mer (C)

North Between Sec. 22 & 23. T. N. 5 N. W. No. 2 W.

12.00 Set a Buck 12 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Run 20 in. dia. Stands S 9 E. 33 miles dist; to
Buck 18 in. dia. S 67 W. 15 in. dia.

71.35 Set a sign 10 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23 from
which a Buck 12 in. dia. line S 67 E 6 miles dist;
and a Poplar 20 in. dia. - South 4 in. dia.
Stands set and trinitw. Same as on the last mile.

East On a Run from line between Sec. 14 & 23. T. N. 5 N. W. No. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. temp. 7

79.70 Intersect the N. & S. line 8 miles N. of the post set
for the cor. to Sec. 13, 14, 23, & 24. Stands set and
trinitw. Same as on the last mile.

West On the true line between Sec. 14 & 23. T. N. 5 N. W. No. 2 W.

39.85 Set the temp. 7 post at the error. Set on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
Buck 8 in. dia. line S 82 W. 26 miles dist; to

Do 8 in. dia. S 65 W. 25 in. dia.

79.70 Set the post set for the cor. to Sec. 14, 15, 22, & 23.

North Between Sec. 14 & 15. T. N. 5 N. W. No. 2 W.

29.30 Set a Buck 15 in. dia. Stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. line S 35 W. 19 miles dist; to
Poplar 20 in. dia. S 81 E. 12 in. dia.

Stands the same as on the last miles.

80.00 Set a post for the cor. to Sec. 10, 11, 14, & 15 from which
a W. Oak 20 in. dia. line S 36 E. 26 miles dist; to
Run 8 in. dia. S 24 E. 32 in. dia.

Stands very heavy and brushy; trinitw. Oak & White
Oak same as on the last mile.

T. N. 5 N. R. No 2 W. 2nd Mer. Ind.^a

East On a Random line between Sec. 11. & 14. T. N. 5 N. R. No 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.00 Enter onto the N. & S. line 12 miles South of the post set for the cor. to Sec. 11, 12, 13, & 14. Same as the last mile.

West On the true line between Sec. 11 & 14. T. N. 5 N. R. No 2 W. 2nd Mer.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ sec. at the aver. dist. on the true line from which a

Elm 8 in. dia. bears N 88 E. 30 miles dist. to

Buck 7 ~ ~ ~ S 67 W. 9 ~ ~ ~

80.00 Set the post set for the cor. to Sec. 10, 11, 14, 15.

North Between Sec. 10. & 11. T. N. 5 N. R. No 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a W. Oak 20 in. dia. bears S 22 W. 20 miles dist. to Buck 9 ~ ~ ~ N 24 W. 27 ~ ~ ~

76.40 Iron Buck 18 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 2, 3, 10, & 11. from which a Hick. 10 in. dia. bears N 50 E. 14 miles dist. to W. Oak 7 ~ ~ ~ S 45 E. 13 ~ ~ ~ Same as the last mile; Timber Buck, Sugar, Ash, & Poplar.

East On a Random line between Sec. 2 & 11. T. N. 5 N. R. No 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.00 Enter onto the N. & S. line 18 miles South of the post set for the cor. to Sec. 1, 2, 11, & 12. Same as the last mile.

West On the true line between Sec. 2 & 11. T. N. 5 N. R. No 2 W.

39.80 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Buck 10 in. dia. bears N 74 W. 18 miles dist. to a

T. N. 5 N. R. N. 27. 2nd Mer. (Ind.)

79.00 Hick. 18 in. dia. haws N6 E. 5 miles dist;
To the first set for the cor. to Sec. 2, 3, 10, 11.

North Pitman Sec. 2 & 3. T. N. 5 N. R. N. 27.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 18 in. dia. haws S29 N. 21 miles dist; to
Do 12 n. n. n. N8 E. 14 n. n.
43.40 To a Poplar 30 in. dia. stands in the line.
82.00 Enter into the N. Corner of T. N. 5 N. R. N. 2
N. 25 miles East of the Sec. cor. for 34 & 35.
T. N. 6 N. R. N. 27. and set a post for the cor. to
Sec. 2 & 3. from which a
Sugar 7 in. dia. haws N33 N. 3 miles dist; to
Do 7 n. n. n. S87 E. 18 n. n.
Sandy hill; timber Oak, & Whiteo.

North Pitman Sec. 33 & 34. T. N. 5 N. R. N. 27.
16.50 To a Brook 18 miles wide; course S. E.
40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Sugar 9 in. dia. haws S42 E. 8 miles dist; to
Buck 6 n. n. n. N66 E. 9 n. n. n.
63.25 To a Brook 12 miles wide; course S. W.
80.00 Set a post for the cor. to Sec. 27, 28, 33, 34. T. N. 5.
N. R. N. 27. from which a
Hick. 10 in. dia. haws S72 N. 12 miles dist; to
B. Oak 30 n. n. n. N81 N. 29 n. n.
Sandy hill; timber Oak, & Whiteo.

East On a random line between Sec. 27 & 34. T. N. 5 N. R. N.
27. 2nd Mer.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
80.00 Enter into the N. S. line 19 miles N. of the first set
for the cor. to Sec. 26, 27, 34 & 35.
Sandy soil and timber same as on the last mile.

West On the true line between Sec. 27 & 34. T. N. 5 N. R. N. 27.

217

I N^o 5 N.R. N^o 2 W. 2nd Mer. (Ind.)

40.00 Set the temporary post at the corner next in the true line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 8 in. dia. beam N 58 W. 10 miles dist; 10
 Do 8 " " " S 58 E. 10 " "

North Between Sec. 27 & 28 I N^o 5 N.R. N^o 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Gum 12 in. dia. beam N 10 E. 55 miles dist; 10
 49.85 To a Gum 12 in. dia. Standard in the line.
 80.00 Set a post for the cor. to Sec. 21, 22, 27, & 28. from which
 a Buck 10 in. dia. beam N 74 E. 32 miles dist; 10
 Do 9 " " " S 87 W. 12 " " "
 Sand pit and timber same as on the last mile.

East One Random line between Sec. 22, & 27. I N^o 5 N.R. N^o 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.20 Enter into the N. 1 S line 8 miles South of the post set
 for the cor. to Sec. 22, 23, 26, 27.
 Sand pit and timber same as on the last mile.

West On the true line between Sec. 22, & 27. I N^o 5 N.R. N^o 2 W.
 40.10 Set the temporary post at the corner dist. on the true line for the
 cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. beam N 88 E. 33 miles dist; 10
 Do 9 " " " N 34 E. 18 " "
 80.20 To the post set for the cor. to Sec. 21, 22, 27, & 28.

North Between Sec. 21 & 22, I N^o 5 N.R. N^o 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 22 in. dia. beam N 52 W. 33 miles dist; 10
 Sugar 8 " " " N 82 W. 35 " "
 80.00 Set a post for the cor. to Sec. 15, 16, 21, & 22 from which
 Sugar 10 in. dia. beam N 2 W. 18 miles dist; and do
 Elm 10 " " " S 4 E. 19 " "
 Sand, Mill, and oak; Timber Buck, Poplar &c.
 (N.G.) same as on the last mile.

T. N. 5 N. R. N. 27. 2nd Mer. (S. d.)

East On a random line between Sec. 15, & 22, T. N. 5 N. R. N. 27.

11.50 To a Spring 7 Brook 5 miles wide; across St.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.80 Into section the N. & S. line 10 miles North of the post set for the cor. to Sec. 14, 15, 22, & 23.

Land & soil and timber same as on the last mile.

West On the true line between Sec. 15, & 22, T. N. 5 N. R. N. 27.

39.90 Set the temporary post for the area dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Tree 8 in. dia. bears N 42 E. 9 miles dist; & a

do 12 in. — N 21 W. 15 in. —

79.80 To the post set for the cor. to Sec. 15, 16, 21, & 22.

North Between Sec. 15, & 16 T. N. 5 N. R. N. 27

9.00 To a Brook 10 miles wide; across St. N.

40.00 Set a post for the cor. to the $\frac{1}{4}$ sec. from which a W. Oak 20 in. dia. bears N 55 W. 5 miles dist; & a

Ironwood 7 in. — N 72 E. 6 in. —

80.00 Set a post for the cor. to Sec. 15, 16, 19, & 20. from which a W. Oak 20 in. dia. bears S 25 W. 43 miles dist. Land & soil and timber same as on the last mile

East On a random line between Sec. 14, & 15, T. N. 5 N. R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. of

80.00 Into section the N. & S. line 10 miles North of the post set for the cor. to Sec. 10, 11, 14, & 15.

Land very brushy and Heilly & c.

West On the true line between Sec. 14, & 15 T. N. 5 N. R. N. 27. 2nd Mer.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ sec. for the area dist. on the true line in a brushy thicket; no bearing

T. N. 5 N. R. N. 2 W. 2nd Mer. Ind.

80.00 To the first set for the cor. to Sec. 9, 10, 15, & 16

North Between Sec. 9 & 10. T. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
in. dia. beam N 37 E. 10 links dist. and a
Cherry Tree in N 76 W. 13 in

80.00 Set a post for the cor. to Sec. 3, 4, 9, 10. From which a
Pole 10 N 27 W. 33 links dist. & a

20 in. dia. beam N 83 W. 30 in

Land hilly and thin soil; timber Oak, & Hard

East On a line between Sec. 3 & 10. T. N. 5 N. R. N. 2 W.

40.00 Set the temporary post for the cor. to $\frac{1}{4}$ Sec.

80.00 Enter onto the N. & S. line 20 links North of the
first set for the cor. to Sec. 2, 3, 10, & 11.

Land flat and timber same as on the last mile.

West On the true line between Sec. 3 & 10. T. N. 5 N. R. N. 2 W. 2nd Mer. Ind.

40.00 Set the temporary post at the aver. dist. on the line for
the cor. to the $\frac{1}{4}$ Sec. from which a

Pole 20 in. dia. beam N 83 W. 22 links dist. & a

Log 8 in. dia. beam N 13 E. 17 in

80.00 To the first set for the cor. to Sec. 3, 4, 9, 10.

North Between Sec. 3 & 4. T. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Pole 10 in. dia. beam N 2 E. 24 links dist. & a

Log 11 in. dia. beam N 13 E. 11 in

67.00 To a Pole 20 in. dia. beam on the line.

81.10 Enter onto the N. & S. line of T. N. 5 N. R. N. 2 W. 10 links East of the first set for the cor. to Sec.

33 & 34. T. N. 6 N. R. N. 2 W. and set a post
for the cor. to Sec. 3 & 4. From which a

Pole 20 in. dia. beam N 4 W. 13 links dist. & a

T. N^o 5 N.R. N^o 277. 2nd Mer. (Ind.)

Tree 17 in. dia. bears N 63 W 33 miles dist; to
Sands Soil and timber same as on the last mile.

North Potomac Sul. 32, 33. T. N^o 5 N.R. N^o 277.

40.00 Set a post for the cor. to 1/4 sec. from which a
Cedar 10 in. dia. bears S 37 E 14 miles dist; to
Applon 7 n n n S 52 W. 14 n n

80.00 Set a post for the cor. to Sul. 28, 29, 32, 33. From
which a Tree 15 in. dia. bears N 28 W. 8 miles dist
and a Dogwood 6 n n N 80 E. 10 n n
Sands hilly and bushy Timber Oak & Hick.

East In a Meridian line between Sul. 28, 33. T. N^o 5 N.
N. N^o 277.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.08 From center the N. & S. line 12 miles South of the
Post set for the cor. to Sul. 27, 28, 33, 34.
Sands hilly and bushy

West On the true line between Sul. 28, 33. T. N^o 5 N.R. N^o
277.

40.04 Set the temporary post at the corner dist on the true line
for the cor. to 1/4 sec. from which a
Cedar 10 in. dia. bears S 8 W. 12 miles dist; to
Dogwood 9 n n n N 76 W 32 n n

80.08 To the post set for the cor. to Sul. 28, 29, 32, 33.

North Potomac Sul. 28, 29. T. N^o 5 N.R. N^o 277.

40.00 Set a post for the cor. to 1/4 sec. from which a
Dogwood 5 in. dia. bears N 70 E. 9 miles dist; to
Willow 19 n n n N 15 E. 22 n n

80.00 Set the post for the cor. to Sul. 28, 29, 32, 33. From
which a Cedar 8 in. dia. bears S 10 W. 19 miles dist
and a Tree 18 n n n East 15 n n
Sands Soil and timber same as on the last mile.

T. N^o 5 N.R. N^o 2 W. 2nd Mer. (End^d.)

East On a main line between ^{Sul.} 21. & 28. T. N^o 5 N.R. N^o 2 W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersection the N. & S. line 18 miles North of the first
 set for the cor. to Sul. 21. 22, 27. & 28.
 Sand soil and timber same as on the last mile.

West On the true line between Sul. 21. & 28. T. N^o 5 N.
 N. N^o 2 W.
 40.00 Set the temp. post at the cor. east on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 7 in. dia. bears S 47 E. 22 miles dist. to
 Sugar 10 " " " N 76 W. 11 " "
 80.00 Set the post set for the cor. to Sul. 20. 21. 28. & 29.

North Between Sul. 20. & 21. T. N^o 5 N.R. N^o 2 W.
 3.50 To a Brook 10 miles wide; Course W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 8 in. dia. bears S 22 W. 14 miles dist. to
 10.18 " " " N 29 W. 23 " "
 57.50 To a Brook 10 miles wide; Course West.
 60.00 " " " 150 " " " S. W.
 75.00 To where the same comes from the N. W.
 80.00 Set a post for the cor. to Sul. 16. 17. 21. & 22. from
 which a " " in. dia. bears S 23 E. 12 miles dist.
 and a Beck 12 " " " N 29 E. 47 " "
 Sand soil and timber same as on the last mile.

East On a main line between Sul. 16. & 21 T. N^o 5
 N.R. N^o 2 W.
 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersection the N. & S. line 18 miles South of the
 first set for the cor. to Sul. 15. 16. 21. & 22
 Sand soil and timber same as on the last mile.

West On the true line between Sul. 16 & 21. T. N^o 5 N.R.
 N^o 2 W. 2nd Mer. End^d.

T. N. 5 N. R. N. 2 W. 2nd Mer. (Ind. Co.)

- West On the true line between Sec. 16. & 21. T. N. 5 N. R. N. 2 W.
- 40.00 Set the temporary post at the corner, on the true line, for the cor. to 1/4 sec. from which a Sugar 9 in. dia. bears N 57 W. 21 miles dist; to
Do 7 " " " N 18 E. 20 " "
- 80.00 To the post set for the cor. to Sec. 16. 17. 21. & 22

- North Between Sec. 16 & 17. T. N. 5 N. R. N. 2 W.
- 23.60 To a Buck 10 in. dia. stands in the line
- 40.00 Set a post for the cor. to 1/4 sec. from which an Ironwood 6 in dia. bears S 15 W. 15 miles dist; to
Logwood 6 " " " N 68 E. 23 " "
- 69.00 To a Buck 15 in. dia. side; bears S. W.
- 80.00 Set a post for the cor. to Sec. 8. 9. 16. & 17. from which a Buck 7 in. dia. bears S 34 E. 20 miles dist to
Do 12 " " " N 34 W. 3 " "
Sundrift and Timber same as on the last mile.

- East On a Random line between Sec. 9. & 16. T. N. 5 N. R. N. 2 W.
- 30.00 To a Buck 100 miles side; bears S. W.
- 34.00 To one point of the same Buck 75 miles side; bears S. W.
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 80.00 Intersect the N. & S. line 15 miles South of the post set for the cor. to Sec. 9. 10. 15. 16. Sundrift timber & V. 9 same as on the last mile

- West On the true line between Sec. 9. & 16. T. N. 5 N. R. N. 2 W. 2nd Mer.
- 40.00 Set the temporary post at the corner, on the true line for the cor. to 1/4 sec. from which a Sugar 9 in. dia. bears S 49 E. 21 miles dist; to
Do 9 " " " S 47 W. 16 " "
- 80.00 To the post set for the cor. to Sec. 8. 9. 16. & 17

T. N. 5 N. R. N. 2 W. 2nd Mer. (S. a. c.)

North Return Sec. 8. & 9. *T. N. 5 N. R. N. 2 W. 2nd Mer.*
 25.00 To a Brook 157 miles; course down S.E.; up N.
 40.00 Cor. to $\frac{1}{4}$ Sec. in the Brook.
 45.00 To the same Brook course from the N.W.
 80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which
 Sugar 18 in. dia. bears N49 E. 21 miles dist; to
 Buck 6 in. dia. N49 E. 24 in. —
 Description Omitted

East On a random line between Sec. 4 & 9. *T. N. 5 N. R. N. 2 W.*
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec. from which
 79.70 Intersect the N. & S. line 18 miles North of the post
 set for the cor. to Sec. 3. 4. 9. 10. Last $\frac{1}{2}$ mile
 thin soil;

West On the true line between Sec. 4 & 9. *T. N. 5 N. R. N. 2 W. 2nd Mer.*
 39.85 Set the temporary post at the corner dist in the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 Sugar 8 in. dia. bears N67 W. 30 miles dist; to
 Sycamore 18 in. dia. N58 E. 23 in. —
 79.70 To the post set for the cor. to Sec. 4. 5. 8. 9.

North Return Sec. 4 & 5. *T. N. 5 N. R. N. 2 W.*
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Buck 6 in. dia. bears N7 E. 15 miles dist; to
 Ho 9 in. dia. N60 W. 17 in. —
 81.50 Intersect the N. Boundary of *T. N. 5 N. R. N. 2 W.*
 30 miles East of the post set for the cor. to Sec. 32 &
 33 *T. N. 6 N. R. N. 2 W.* and set a post for the cor. to
 Sec. 4. & 5. from which a
 Buck 6 in. dia. bears S25 W. 2 miles dist; to
 Ho 6 in. dia. N32 W. 8 in. —
 Sande soil and timber same as in the last mile.

North Return Sec. 31 & 32. *T. N. 5 N. R. N. 2 W.*

T. N. 5 N. R. N. 2 W. 2nd Mer. (Qu. A. C.)

North Between Sec. 31. & 32 T. N. 5 N. R. N. 2 W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. 4
 80.00 Set a post for the cor. to sec. 29, 30, 31. & 32 from
 which an Elm 10 in. dia. bears N 57 E 24 miles dist.
 made a Buck 6 in. dia. N 77 W. 18 in. dia.
 Saddle broken and broken; timber Oak, Hickory
 made Buck.

East On a random line between Sec. 29. & 32 T. N. 5 N.
 R. N. 2 W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.50 Intersect the N. & S. line 12 miles N. of the post
 set for the cor. to sec. 28, 29, 32, & 33.
 Saddle fork made timber same as in the last mile.

West On the true line between Sec. 29. & 32 T. N. 5 N. R. N. 2 W.
 39.75 Set the temporary post at the area. Dist. in the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia. bears West 37 miles dist.
 79.50 To the post set for the cor. to sec. 29, 30, 31. & 32

West Between Sec. 30. & 31 T. N. 5 N. R. N. 2 W.
 22.50 To a Brook 150 miles wide, corner South.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. bears N. 57 E 14 miles dist. to
 Ironwood Co. N 80 W. 25 in. dia.
 76.40 Intersected the West Branch of T. N. 5 N. R. N. 2 W.
 64 miles N. of the post set for the cor. to sec.
 25 & 36 T. N. 5 N. R. N. 3 W. and set a post
 for the cor. to sec. 30 & 31. from which a
 Buck 10 in. dia. bears S 56 E. 8 miles dist. to
 N. Oak 10 in. dia. N 15 E 18 in. dia.
 Saddle Broken; timber Buck, Poplar, Sugar 10

North Between Sec. 29. & 30. T. N. 5 N. R. N. 2 W.
 6.18 To a Brook 150 miles wide, corner S.W.

I. N^o 5 N. R. N^o 2 W. 2nd Mer. S. A.

- 40.00 Set a post for the cor. to 1/4 Sec. from which a
Dogwoods 6 in. dia. line S 81 W. 7 1/2 miles dist; 10
Do 6 " " " N 22 W. 24 " "
- 80.00 Set a post for the cor. to Sec. 19, 20, 29, & 30. from
which a Buck - in. dia. line S 13 W. 10 miles dist;
made a 13 Oak 18 " " " N 16 W. 15 " "
Sands rolling; timber Poplar, ash, Sugar, &c. N. 3
Spruce and Dogwoods.

East On a new line between Sec. 20, & 29 I. N^o 5 N. R. N^o 2 W.

- 20.00 To a Brook 150 miles mid; Course South
- 40.00 Set a temporary post for the cor. to 1/4 Sec.
- 71.00 To a Spring Brook 10 miles mid. Course South.
- 80.00 Into cut the N. & S. line 12 miles North of the post
Set for the cor. to Sec. 20, 21, 28, & 29
Sands flat and timber same as in the last mile.

West On the true line between Sec. 20, & 29 I. N^o 5 N. R. N^o 2 W.

- 40.00 Set the temporary post at the corner on the true line for
the cor. to 1/4 Sec. from which a
Buck 20 in. dia. line N 62 E. 23 miles dist; 10
Do 9 " " " S 62 W. 11 " "
- 80.00 To the post set for the cor. to Sec. 19, 20, 29, & 30

North Between Sec. 19, & 20 I. N^o 5 N. R. N^o 2 W.

- 16.50 To a Buck 20 in. dia. It stands on the line.
- 40.00 Set a post for the cor. to 1/4 Sec. from which a
Buck 10 in. dia. line S 45 W. 16 miles dist; 10
Do 10 " " " South 13 " "
- 57.00 To a Brook 10 miles mid; Course E.
- 80.00 Set a post for the cor. to Sec. 17, 18, 19, & 20. from which
a Buck 18 in. dia. line N 79 E. 28 miles dist; 10
Do 6 " " " S 9 E. 13 " "
Sands flat and timber same as in the last mile.

T. N^o 5 N.R. N^o 277. 2nd Mer. (Qu. d.^a)

East On a Random line between Sec. 17. & 20 T. N^o 5 N.R. N^o 277.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 45.00 To a Brook 157 links wide; Course South.
 80.00 Then enter the N. & S. line 25 links North of the post set for the cor. to Sec. 16. 17. 20. & 21.
 Sand & soil made timber same as in the last mile.

West On the true line between Sec. 17. & 20 T. N^o 5 N.R. N^o 277.

- 40.00 Set the temporary post at the given dist. on the true line for the cor. to $\frac{1}{4}$ sec. From which a
 Bearing 20 in. div. bearing N 73 W. 19 links dist. to
 Do 18 " " " N 79 E. 18 " "
 80.00 To the post set for the cor. to Sec. 17. 18. 19. 20.

North Between Sec. 17. & 18 T. N^o 5 N.R. N^o 277.

- 25.00 To a Brook 150 links wide; Course S.E.
 45.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
 Bearing 10 in. div. bearing N 31 E. 20 links dist. to
 Do 8 " " " N 57 W. 8 " "
 44.50 To the above named Brook 150 links wide; Course W.
 80.00 Set a post for the cor. to Sec. 7. 8. 17. & 18 from which a
 W. Oak 12 in. div. bearing N 25 W. 38 links dist. to
 Do 10 " " " N 59 E. 18 " "
 Sand & soil made timber same as in the last mile

East On a Random line between Sec. 8. & 17 T. N^o 5 N.R. N^o 277.

- 19.00 To a Brook 175 links wide; Course S.W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. for
 55.00 To a Brook 150 links wide; Course N. W.
 80.20 Then enter the N. & S. line 30 links North of the post set for the cor. to Sec. 8. 9. 16. & 17.
 Sand & soil made timber same as in the last mile

227

I. N. 5 N. R. N. 2 W. 2^d. Mer. (Ind.)

West On the true line between Sep. 8. & 17 I. N. 5 N. R. N. 2 W.

40.00 Set the temporary post at the corner dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Poplar 7 in. dia. bears N 84 E. 18 miles dist; or

Bush 29 n n n S 76 W 36 n n n

80.20 To the post set for the cor. to Sep. 7. 8. 17. & 18.

North Petron Sep. 7. & 8 I. N. 5 N. R. N. 2 W.

13.50 To a sugar 10 in dia. stands on the line

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Poplar 6 in dia. bears S 78 E. 5 miles dist; or

Bush 12 n n n S 29 W. 29 n n n

80.00 Set a post for the cor. to Sep. 5. 6. 7. 8. from which

a Maple 8 in dia. bears N 10 W. 23 miles dist; or

Bush 10 n n n S 21 W. 20 n n n

Sand soil made timber same as in the last mile

East On a random line between Sep. 5. & 8 I. N. 5 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec

64.00 To a Birch 150 miles wide. Corner South,

80.15 Introduced the N. & S line 20 miles North of the post set for the cor. to Sep. 4. 5. 8. 9.

Sand soil made timber same as in the last mile.

West On the true line between Sep. 5 & 8. I. N. 5. N. R. N. 2 W.

40.07 1/2 Set the temporary post at the corner dish on the true line for the cor. to $\frac{1}{4}$ sec. from which a

Juniper 6 in. dia. bears S 44 E. 3 miles dist; or

Bush 6 n n n N 87 W. 18 n n n

80.15 To the post set for the cor. to Sep. 5. 6. 7. 8.

North Petron Sep. 5. & 6. I. N. 5 N. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

T. N^o 5 N. R. N^o 2 W. 2nd Mer (Ind.)

Dogwoods 4 mi. distance N 44 E. 17 miles dist;
 Sugar 10 n n n N 88 W 14 n n
 79.80 Intersection the North Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 31. & 32. T. N^o 5 N. R. N^o 2 W.
 Sand rich and rolling; Timber Poplar, Sugar Birch

West Between Sec. 19. & 30. T. N^o 5 N. R. N^o 2 W. 2nd Mer.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 mi. distance S 55 E. 16 miles dist; to
 Do 9 n n n N 47 W 5 n n
 76.88 Intersection the West Boundary of T. N^o 5 N. R. N^o 2 W. 45 miles North of the post set for the cor. to sec. 24. & 25. T. N^o 5 N. R. N^o 3 W. & set a post for the cor. to sec. 19. & 30. from which a
 Buck 10 mi. distance N 79 E. 25 miles dist; to
 Do 7 n n n S 52 E. 17 n n
 Sand soil and timber same as on the last mile.

West Between Sec. 6. & 17. T. N^o 5 N. R. N^o 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Dogwoods 6 mi. distance N 84 E. 36 miles dist; to
 Buck 20 n n n S 49 W. 15 n n
 77.35 Intersection the W. Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 1. & 12. T. N^o 5 N. R. N^o 3 W. Sand Heavy; Timber Oak & Hickory

West Between Sec. 7. & 18. T. N^o 5 N. R. N^o 2 W.
 4.50 To a Brook 10 miles wide; comes South
 14.60 To a P. Gum 12 mi. distance. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 10 mi. distance S 2 E. 19 miles dist; to
 W. Oak 12 n n n N 83 W 25 n n
 77.15 Intersection the West Boundary of T. N^o 5 N. R. N^o 2 W. at the post set for the cor. to sec. 12. & 13.

T. No 5 N.R. No 27. 2nd Mer. (Ind.)

T. No 5 N.R. No 37.

Land's first timber is some 2000 ft. on the last mile.

West 7 Between Sec. 18. 49 T. No 5 N.R. No 27.
 4000 Set a post for the cor. to the sec. from which a
 Sugar 12 in. dia. saw North 2 miles N.W. 1/4
 76.90 Enter section the West Boundary of Town. No 5 N.
 R. No 27. at the first set for the cor. to sec.
 13. 6 24 T. No 5 N.R. No 37.
 Land's 1st timber is some 2000 ft. on the last mile.

Tom Jones & Co. division

Surveyed by

Arthur Kenzie

Dep't. Sur.

I certify that the foregoing transcript of the field
 notes of Township No 5 North of Range No 2
 West of the 2nd Mer. Indiana, has been compared
 with the Original notes in this Office, and
 found to be correct.

Surveyor General's Office

Cincinnati, Dec. 20. 1839

E. S. Rains
 Sur. Gen.